



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

December 19, 2019

Ron Hampton  
Senior Regulatory Product Manager  
Syngenta Crop Protection, LLC  
P.O. Box  
Greensboro, NC 27419

Subject: PRIA Label and CSF Amendment – Submitted product performance data and alternate formulation  
Product Name: Advion Insect Granule  
EPA Registration Number: 100-1483  
Application Date: February 13, 2019  
Decision Number: 548650

Dear Dr. Hampton:

The amended label and Alternate CSF referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, are acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Please note that the record for this product currently contains the following CSF(s):

- Basic CSF dated 08/26/2009
- Alternate CSF 2310/1 dated 11/16/2018

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process.

Page 2 of 2  
EPA Reg. No. 100-1483  
Decision No. 548650

Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Virna Stillwaugh by phone at 703-347-8506, or via email at [Stillwaugh.Virna@epa.gov](mailto:Stillwaugh.Virna@epa.gov).

Enclosure



Shanta Adeeb, Product Manager 10  
Invertebrate-Vertebrate Branch 2  
Registration Division (7505P)  
Office of Pesticide Programs

**ACCEPTED**

**12/19/2019**

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 100-1483

Advion Insect Granule (100-1483)

[Master Label]

**INDOXACARB** **GROUP 22** **INSECTICIDE**

**ADVION® INSECT GRANULE**

**[ABN: ADVION® INSECT GRANULAR BAIT, ADVION® MOLE CRICKET BAIT]**

[Note to Reviewer: This Master label is split into two sub-labels which correspond to the two ABNS]

**[Split-label A][ADVION® MOLE CRICKET BAIT**

**Insecticide**

A granular bait for the control of crickets, including mole crickets, in turfgrass on golf courses, residential, commercial, public and institutional areas, parks, recreational areas and athletic fields, and cockroaches, crickets, nuisance ants, and listed crawling insect pests in attics, crawlspaces, and basements of residential, commercial, public, and institutional buildings.]

**[Split-label B][ADVION® INSECT GRANULAR BAIT**

**Insecticide**

A granular bait for indoor and outdoor control of cockroaches, crickets (including mole crickets), nuisance ants, and listed crawling insect pests in and around residential, commercial, public, and institutional buildings.]

Active Ingredient:

Indoxacarb

(S)-methyl 7-chloro-2,5-dihydro-2-[[[(methoxycarbonyl)[4(trifluoromethoxy)phenyl]amino]carbonyl]indeno[1,2-e][1,3,4]oxadiazine-4a-(3H)carboxylate ..... 0.22%

Other Ingredients 99.78%

Total: 100.00%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION/PRECAUCIÓN**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

EPA Reg. No.100-1483

EPA Est.

Net Contents

### **FIRST AID**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment

### **HOTLINE NUMBER**

For 24-Hour Medical Emergency Assistance (Human or Animal) or Chemical  
Emergency Assistance (Spill, Leak, Fire, or Accident),  
Call  
**1-800-888-8372**

## **PRECAUTIONARY STATEMENTS**

### **HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

#### **CAUTION**

Avoid contact with skin, eyes or clothing.

### **PERSONAL PROTECTIVE EQUIPMENT**

#### **Applicators and other handlers must wear:**

- Shoes plus socks.
- Long-sleeved shirt and long pants are required when using hand-held application equipment.

## **USER SAFETY REQUIREMENTS**

Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

## **USER SAFETY RECOMMENDATIONS**

**USERS SHOULD:** Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

## **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment rinsewater or rinsate. Do not apply where/when conditions could favor runoff. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

Do not apply to any impervious surfaces which may contact or lead directly to surface water, storm drains, or urban runoff conveyance systems (gutters). Sweeping any product that lands on an impervious surface back onto pervious surfaces will prevent runoff to water bodies or drainage systems. Cover, incorporate, or clean up granules that are spilled.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read entire label before using this product. Syngenta will not be responsible for losses or damages resulting from use of this product in any manner not specifically stated on this label or other labels or bulletins published by Syngenta. User assumes all risks associated with such non-specified use.

## PRODUCT INFORMATION

[Advion Insect Granular Bait][Advion Mole Cricket Bait] is a ready-to-use granular bait that contains the active ingredient indoxacarb. When applied according to label use directions, [Advion Insect Granular Bait][Advion Mole Cricket Bait] controls the wide range of insect pests listed in Table 1.

## RESISTANCE MANAGEMENT

|            |       |    |             |
|------------|-------|----|-------------|
| INDOXACARB | GROUP | 22 | INSECTICIDE |
|------------|-------|----|-------------|

For resistance management, [Advion Insect Granular Bait][Advion Mole Cricket Bait] contains a Group 22A insecticide. Any insect population may contain individuals naturally resistant to Advion Fire Ant Bait and other Group 22A insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same treated areas. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance, take the following steps:

- Rotate the use of [Advion Insect Granular Bait][Advion Mole Cricket Bait] or other Group 22A insecticides with different groups that control the same pests.
- Adopt an integrated pest management program for insecticide use that includes scouting, uses historical information related to pesticide use, record keeping, and which considers cultural, biological, and other chemical control practices.
- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.

Contact your local Syngenta representative, retailer, or extension specialist for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area. For further information or to report suspected resistance contact Syngenta at 1-866-SYNGENT(A) (866-796-4368). Syngenta encourages responsible product stewardship to ensure effective long-term control of the insects on this label.

**[Start of Split label A: Advion Mole Cricket Bait]**

**USE RESTRICTIONS**

- Not for use on turfgrass that is being grown for seed or on commercial sod farms.
- Not for use in nurseries and greenhouses.
- **DO NOT** allow livestock or domestic animals to consume the bait or graze in treated areas.
- **DO NOT** apply indoors to areas accessible to children or pets.
- **DO NOT** allow Advion Mole Cricket Bait to contact any food or feed.
- **DO NOT** exceed 200 pounds of Advion Mole Cricket Bait per acre per year (equal to 0.44 lb active ingredient per acre per year).

**OUTDOOR APPLICATION**

Advion Mole Cricket Bait contains the active ingredient indoxacarb in a formulation that is highly attractive to the pests listed in the following table. Advion Mole Cricket Bait should be applied in the spring to control adult mole crickets before they lay eggs and in the late summer and fall to control large nymphs and newly emerged adults.

For best control, apply in late afternoon to areas of turfgrass that are infested with mole crickets. If the soil is not moist, then it is important to irrigate before application to bring the mole crickets to the soil surface where exposure to Advion Mole Cricket Bait will be maximized. For optimal effectiveness, allow grass that is wet with dew, rainfall or irrigation to dry before application. Rainfall or irrigation within 2 to 3 days after application may reduce the effectiveness of Advion Mole Cricket Bait, which may require retreatment.

**Table 1. Treatment Rates and Pests Controlled**

| <b>Turfgrasses grown for aesthetic or recreational purposes in or around golf courses (tee box areas, roughs, fairways, greens, and collars), residential dwellings, business and office complexes, shopping complexes, multi-family residential complexes, institutional buildings, airports, cemeteries, parks, playgrounds, schools, sports and athletic fields, and other similar landscape turf areas</b> |                                    |                             |                   |
|--|------------------------------------|-----------------------------|-------------------|
| <b>Pest Controlled</b>   | <b>lb product/<br/>1,000 sq ft</b> | <b>lb product/<br/>acre</b> | <b>lb AI/acre</b> |
| mole cricket adults and nymphs<br>( <i>Scapteriscus</i> spp.)<br>ants, including tawny crazy ants (except red imported fire ants, harvester ants, carpenter ants and pharaoh ants)<br>house crickets<br>field crickets<br>earwigs<br>silverfish  | 1.15 to 4.6                        | 50 to 200                   | 0.11 to 0.44      |
| cockroaches  | 2.3 to 4.6                         | 100 to 200                  | 0.22 to 0.44      |

Apply Advion Mole Cricket Bait at a rate of 50 to 200 lb product per acre (1.15 to 4.6 lb product per 1000 sq ft). Calibrate and adjust equipment prior to application to ensure that the proper rate of product is uniformly applied over the treatment area. Repeat application after 7 days, if necessary.

**INDOOR APPLICATION**

Advion Mole Cricket Bait may be used to control the pests listed in Table 3 in crawl spaces, finished and unfinished basements and attics of residential, industrial and commercial buildings or structures. Advion Mole Cricket Bait will kill cockroaches that consume the bait granules when placed in attics, crawl spaces and basements of residential, industrial and commercial buildings or structures, but this type of application alone is not intended to provide complete control of an indoor cockroach infestation. Monitor the treated area, and reapply bait granules only as needed.

For use in food or feed handling establishments, see section below.

**Crack & Crevice and Void Application** – Apply bait into cracks and crevices or voids at a rate up to 2 oz per 10 linear feet using a bulb applicator or other equipment for applying granular bait into cracks & crevices or voids.

**Scatter Application** - Apply bait as scatter treatment at rate of 0.38 lb to 4.6 lb of product per 1,000 sq ft. The minimum application rate for cockroaches is 1.15 lb product per 1,000 sq ft (equivalent to 1.84 oz per 100 sq ft).

**Perimeter Band Treatment** - Apply bait along walls in a band approximately 6 to 12 inches wide at rate of 2 oz bait granules per 10 linear feet.

**Bait Station** - Apply bait using commercial bait stations suitable for granular insect bait. Place 2 to 4 oz of bait in each bait station depending on the bait station design and size. The number of bait stations placed in the treated area will depend on the size of the area and the level of the infestation.

**Table 2. Indoor Treatment Methods and Pests Controlled**

| Pests Controlled   | Treatment Method                | Treatment Location   | Treatment Rate   |
|--|---------------------------------|--|--|
| ants, including tawny crazy ants (except fire ants, harvester ants, carpenter ants and pharaoh ants) cockroaches <sup>1</sup> earwigs field crickets house crickets millipedes <sup>[2]</sup> silverfish | Crack & Crevice, Void treatment | <ul style="list-style-type: none"> <li>Indoors</li> </ul>  | up to 2 oz per 10 linear feet  |
|  | Scatter baiting                 | <ul style="list-style-type: none"> <li>Crawl spaces</li> <li>Attics (uninhabited)</li> </ul>   | up to 7.36 oz per 100 square feet  |
|  | Perimeter band                  | <ul style="list-style-type: none"> <li>Crawl spaces</li> <li>Unfinished basements</li> <li>Attics (uninhabited)</li> </ul>               | up to 2 oz per 10 linear feet in a band 6 to 12 inches wide                                  |
|  | Bait station                    | <ul style="list-style-type: none"> <li>Crawl spaces</li> <li>Unfinished basements</li> <li>Finished basements</li> <li>Attics</li> </ul> | 2 to 4 oz per bait station (number of bait stations will depend on the level of infestation) |

<sup>1</sup> minimum application rate for cockroaches is 1.84 oz per 100 sq ft  
<sup>[2]</sup> not approved for use in California]

**DO NOT** apply to areas accessible to children and pets.

**FOOD- AND FEED-HANDLING ESTABLISHMENTS**

(Food-handling establishments are places other than private residences in which food is held, processed, prepared or served.)

**Applications in Non-food/Non-feed Areas**

Advion Mole Cricket Bait may be used to control listed pests in residential structures and the non-food areas of commercial, industrial, public and institutional buildings/structures, including restaurants, warehouses, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, schools, daycares, laboratories, computer facilities, aircraft, buses, boats/ships, trains, and pet shops.

Non-food and non-feed areas include areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler

rooms, garages, mop closets and storage (after bottling or canning). Refer to section below for use directions and restrictions when making applications in food- and feed-handling areas of Food and Feed Handling Establishments.

### **Applications in Food/Feed Areas**

Food- and feed-handling areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation.

Apply between different elements of construction, between floor and equipment, openings to voids and hollow spaces in walls, bases and equipment or using bait stations.

### **Specific Restrictions for Food- and Feed-Handling Establishments**

- **DO NOT** apply to areas or surfaces where food/feed, food utensils or food-processing surfaces may come into contact and become contaminated.
- **DO NOT** apply to areas that are routinely washed, such tops of tables, food/feed preparation and prepared food-holding surfaces.

**[End of Split label A: Advion Mole Cricket Bait]**

**[Start of Split label B: Advion Insect Granular Bait]**

### **USE RESTRICTIONS**

- Not for use on turfgrass that is being grown for seed or on commercial sod farms.
- Not for use in nurseries and greenhouses.
- **DO NOT** allow livestock or domestic animals to consume the bait or graze in treated areas.
- **DO NOT** apply indoors to areas accessible to children or pets.
- **DO NOT** allow Advion Insect Granular Bait to contact any food or feed.
- Do not apply this product through any type of irrigation system.
- **DO NOT** exceed 4.6 pounds of Advion Insect Granular Bait per 1000 sq ft per year or 3.2 pounds of Advion Insect Granular Bait per 100 linear ft applied in a 7 ft band (equal to 0.44 lb active ingredient per acre per year).
- Do not formulate this product into other end-use products.

### **OUTDOOR APPLICATION**

Advion Insect Granular Bait contains the active ingredient indoxacarb in a formulation that is highly attractive to the pests listed in the following table.

**Table 1. Treatment Rates and Pests Controlled**

| <b>Inside and around residential dwellings, business and office complexes, shopping complexes, multi-family residential complexes, institutional buildings, airports, cemeteries, parks, playgrounds, schools, including lawns and landscapes, sports and athletic fields, and other similar landscape turf areas</b> |                                    |                                      |                        |
|---|------------------------------------|--------------------------------------|------------------------|
| <b>Pest Controlled</b>  | <b>lb product/<br/>1,000 sq ft</b> | <b>lb product/<br/>100 linear ft</b> | <b>lb AI/<br/>acre</b> |
| ants, including tawny crazy ants<br>(except red imported fire ants,<br>harvester ants, carpenter ants and<br>pharaoh ants)<br>earwigs<br>field crickets<br>house crickets<br>millipedes <sup>[3]</sup><br>mole cricket adults and nymphs<br>( <i>Scapteriscus</i> spp.) <sup>[4]</sup><br>silverfish                  | 0.38 to 4.6 <sup>1</sup>           | 0.27 to 3.2 <sup>1</sup>             | 0.037 to 0.44          |
| cockroaches   | 1.15 to 4.6 <sup>2</sup>           | 0.81 to 3.2 <sup>2</sup>             | 0.11 to 0.44           |

<sup>1</sup> equivalent to 0.61 to 7.36 oz per 100 sq ft

<sup>2</sup> equivalent to 1.84 to 7.36 oz per 100 sq ft

[<sup>3</sup> not approved for use in California]

[<sup>4</sup> minimum rate is 1.15 lb per 1000 sq ft in California]

### **Structural Perimeter-Band Application**

To control pests listed in the table above except mole crickets, apply to ground area in a band up to 7 feet wide around and adjacent to the structure. For mole cricket control, see section on Limited Area Applications.

### **Landscape Boundary Application**

To control pests listed in the table above, apply to fence lines, ornamental gardens, pavement crevices, planter areas, and soil, vegetation, and mulched areas.

### **Limited Area Applications (Spot Treatment) for Listed Pests in Lawns and Landscapes**

Apply Advion Insect Granular Bait at a rate of 0.38 to 4.6 lb product per 1000 sq ft. as a limited area treatment. Repeat application after 7 days, if necessary. To control adult mole crickets before they lay eggs, Advion Insect Granular Bait should be applied in the spring. To control mole crickets nymphs and newly emerged adults, apply Advion Insect Granular Bait in the late summer and fall. For best results, apply in late afternoon to areas of turfgrass that are infested with mole crickets, show evidence of mole cricket damage or have a history of mole cricket infestation. If the soil is not moist, then it is important to irrigate before application to bring the mole crickets to the soil surface where exposure to Advion Insect Granular Bait will be maximized.

**Bait Station** - Apply bait using commercial bait stations suitable for granular insect bait. Place 2 to 4 oz of bait in each bait station depending on the bait station design and size. The number of bait stations placed in the treated area will depend on the size of the area and the level of the infestation. Monitor the bait stations, and replenish bait granules as needed.

**Table 2. Outdoor Perimeter-Band Application Rates**

| Application Rate<br>lb/1,000 sq ft | Band Width<br>(feet) | lb of Advion® Insect Granular Bait for Perimeter Applications<br>Linear Distance (feet) Around Structure |      |      |      |      |       |       |       |
|------------------------------------|----------------------|--|------|------|------|------|-------|-------|-------|
|                                    |                      | 100  | 150  | 200  | 250  | 300  | 400   | 500   | 1000  |
| 0.38                               | 5                    | 0.19   | 0.29 | 0.38 | 0.48 | 0.57 | 0.76  | 0.95  | 1.90  |
| 0.38                               | 7                    | 0.27   | 0.40 | 0.53 | 0.67 | 0.80 | 1.06  | 1.33  | 2.66  |
| 0.5                                | 5                    | 0.25   | 0.38 | 0.50 | 0.63 | 0.75 | 1.00  | 1.25  | 2.50  |
| 0.5                                | 7                    | 0.35   | 0.53 | 0.70 | 0.88 | 1.05 | 1.40  | 1.75  | 3.50  |
| 1.15                               | 5                    | 0.58   | 0.86 | 1.15 | 1.44 | 1.73 | 2.30  | 2.88  | 5.75  |
| 1.15                               | 7                    | 0.81   | 1.21 | 1.61 | 2.01 | 2.42 | 3.22  | 4.03  | 8.05  |
| 2.3                                | 5                    | 1.15   | 1.73 | 2.30 | 2.88 | 3.45 | 4.60  | 5.75  | 11.50 |
| 2.3                                | 7                    | 1.61   | 2.42 | 3.22 | 4.03 | 4.83 | 6.44  | 8.05  | 16.10 |
| 3.0                                | 5                    | 1.50   | 2.25 | 3.00 | 3.75 | 4.50 | 6.00  | 7.50  | 15.00 |
| 3.0                                | 7                    | 2.10   | 3.15 | 4.20 | 5.25 | 6.30 | 8.40  | 10.50 | 21.00 |
| 3.5                                | 5                    | 1.75   | 2.63 | 3.50 | 4.38 | 5.25 | 7.00  | 8.75  | 17.50 |
| 3.5                                | 7                    | 2.45   | 3.68 | 4.90 | 6.13 | 7.35 | 9.80  | 12.25 | 24.50 |
| 4.0                                | 5                    | 2.00   | 3.00 | 4.00 | 5.00 | 6.00 | 8.00  | 10.00 | 20.00 |
| 4.0                                | 7                    | 2.80   | 4.20 | 5.60 | 7.00 | 8.40 | 11.20 | 14.00 | 28.00 |
| 4.6                                | 5                    | 2.30   | 3.45 | 4.60 | 5.75 | 6.90 | 9.20  | 11.50 | 23.00 |
| 4.6                                | 7                    | 3.22   | 4.83 | 6.44 | 8.05 | 9.66 | 12.88 | 16.10 | 32.20 |

## INDOOR APPLICATION

Advion Insect Granular Bait may be used to control the pests listed in Table 3 in crawl spaces, finished and unfinished basements and attics of residential, industrial and commercial buildings or structures. Advion Insect Granular Bait will kill cockroaches that consume the bait granules when placed in attics, crawl spaces and basements of residential, industrial and commercial buildings or structures, but this type of application alone is not intended to provide complete control of an indoor cockroach infestation. Monitor the treated area, and reapply bait granules only as needed.

For use in food or feed handling establishments, see section below.

**Crack & Crevice and Void Application** – Apply bait into cracks and crevices or voids at a rate up to 2 oz per 10 linear feet using a bulb applicator or other equipment for applying granular bait into cracks & crevices or voids.

**Scatter Application** - Apply bait as scatter treatment at rate of 0.38 lb to 4.6 lb of product per 1,000 sq ft. The minimum application rate for cockroaches is 1.15 lb product per 1,000 sq ft (equivalent to 1.84 oz per 100 sq ft).

**Perimeter Band Treatment** - Apply bait along walls in a band approximately 6 to 12 inches wide at rate of 2 oz bait granules per 10 linear feet.

**Bait Station** - Apply bait using commercial bait stations suitable for granular insect bait. Place 2 to 4 oz of bait in each bait station depending on the bait station design and size. The number of bait stations placed in the treated area will depend on the size of the area and the level of the infestation.

**Table 3. Indoor Treatment Methods and Pests Controlled**

| Pests Controlled   | Treatment Method                | Treatment Location   | Treatment Rate   |
|--|---------------------------------|--|--|
| ants, including tawny crazy ants (except fire ants, harvester ants, carpenter ants and pharaoh ants)<br>cockroaches <sup>1</sup><br>earwigs<br>field crickets<br>house crickets<br>millipedes <sup>[2]</sup><br>silverfish | Crack & Crevice, Void treatment | <ul style="list-style-type: none"> <li>Indoors</li> </ul>  | up to 2 oz per 10 linear feet  |
|  | Scatter baiting                 | <ul style="list-style-type: none"> <li>Crawl spaces</li> <li>Attics (uninhabited)</li> </ul>   | up to 7.36 oz per 100 square feet  |
|  | Perimeter band                  | <ul style="list-style-type: none"> <li>Crawl spaces</li> <li>Unfinished basements</li> <li>Attics (uninhabited)</li> </ul>               | up to 2 oz per 10 linear feet in a band 6 to 12 inches wide                                  |
|  | Bait station                    | <ul style="list-style-type: none"> <li>Crawl spaces</li> <li>Unfinished basements</li> <li>Finished basements</li> <li>Attics</li> </ul> | 2 to 4 oz per bait station (number of bait stations will depend on the level of infestation) |

<sup>1</sup> minimum application rate for cockroaches is 1.84 oz per 100 sq ft  
<sup>[2]</sup> not approved for use in California]

**DO NOT** apply to areas accessible to children and pets.

**FOOD- AND FEED-HANDLING ESTABLISHMENTS**

(Food-handling establishments are places other than private residences in which food is held, processed, prepared or served.)

**Applications in Non-food/Non-feed Areas**

Advion Insect Granular Bait may be used to control listed pests in residential structures and the non-food areas of commercial, industrial, public and institutional buildings/structures, including restaurants, warehouses, food processing plants,

supermarkets, hospitals, nursing homes, motels, hotels, schools, daycares, laboratories, computer facilities, aircraft, buses, boats/ships, trains, and pet shops.

Non-food and non-feed areas include areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after bottling or canning). Refer to section below for use directions and restrictions when making applications in food- and feed-handling areas of Food and Feed Handling Establishments.

### **Applications in Food/Feed Areas**

Food- and feed-handling areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation.

Apply between different elements of construction, between floor and equipment, openings to voids and hollow spaces in walls, bases and equipment or using bait stations.

### **Specific Restrictions for Food- and Feed-Handling Establishments**

- **DO NOT** apply to areas or surfaces where food/feed, food utensils or food-processing surfaces may come into contact and become contaminated.
- **DO NOT** apply to areas that are routinely washed, such tops of tables, food/feed preparation and prepared food-holding surfaces.

**[End of Split label B: Advion Insect Granular bait]**

## **STORAGE AND DISPOSAL**

### **Prohibitions**

Do not contaminate water, food or feed by storage and disposal.

### **Pesticide Storage**

Store product in original container only in a location inaccessible to children and domestic animals/pets. Store in a cool, dry place and avoid excessive heat.

### **Pesticide Disposal**

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

### **Container Disposal**

Non-refillable container. Do not reuse or refill this container. Completely empty plastic container, plastic bag or fiber sack into application equipment by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then offer for recycling, if available or dispose of plastic container, plastic bag or fiber sack in a sanitary landfill, or by other procedures approved by state and local authorities.

---

**CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY**

---

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and, (2) Buyer and User assume the risk of any such use. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.**

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

[Product], the ALLIANCE FRAME  
the SYNGENTA Logo and the PURPOSE ICON  
are Trademarks of a Syngenta Group Company

©20XX Syngenta

|   |
|---|
| For non-emergency (e.g., current product information), call<br>Syngenta Crop Protection at 1-800-334-9481 |
|---|

Manufactured for:  
Syngenta Crop Protection, LLC  
P.O. Box 18300  
Greensboro, North Carolina 27419-8300

Advion Insect Granule 1483 MAS 0414 AMEND-D 0219-CL – di – 12/18/2019  
000100-01483.20190207D.Advion Insect Granule.AMEND.FEB2019-CL